

EFFICIENT V-COMPACT FILTER



Applications:

Final filter for HVAC or cleanrooms
Gas turbines air intake system

Highlights:

- Tested and certified acc to EN 1822 - ISO 29463 for H13 - H14
- Large filtration area
- Simple and light weight
- Low initial pressure drop

Filter Standard:	EN 1822 and ISO 29463	Max. Operating Temperature:	80°C
Filter Class:	E10 - E11 - E12 - H13 - H14	Faceguard:	Available on request
Media:	Glass Fiber	Gasket:	Available on request
Frame:	Polystyrene (PS)	Sealing Compound:	Two component polyurethane
Rec. Final Pressure Drop:	Initial pressure drop x2, (max. 600 Pa)	Separators:	Hotmelt



EFFICIENT V-COMPACT FILTER

Filter Model	Filter Class		Dimensions WxHxD (mm)	Filtration Area (m ²)	Nominal Airflow (m ³ /h)	Initial Pressure Drop (Pa)
	EN 1822	ISO 29463				
HV-E10-287-592-292-FW-W	E10	-	287x592x292	9	1700	170
HV-E10-490-592-292-FW-W	E10	-	490x592x292	15,5	2800	170
HV-E10-592-592-292-FW-W	E10	-	592x592x292	19	3400	170
HV-E11-287-592-292-FW-W	E11	ISO 15 E	287x592x292	9	1700	190
HV-E11-490-592-292-FW-W	E11	ISO 15 E	490x592x292	15,5	2800	190
HV-E11-592-592-292-FW-W	E11	ISO 15 E	592x592x292	19	3400	190
HV-E12-287-592-292-FW-W	E12	ISO 25 E	287x592x292	9	1250	250
HV-E12-490-592-292-FW-W	E12	ISO 25 E	490x592x292	15,5	2000	250
HV-E12-592-592-292-FW-W	E12	ISO 25 E	592x592x292	19	2500	250
HV-H13-287-592-292-FC2-P	H13	ISO 35 H	287x592x292	9	1250	270
HV-H13-490-592-292-FC2-P	H13	ISO 35 H	490x592x292	15,5	2000	270
HV-H13-592-592-292-FC2-P	H13	ISO 35 H	592x592x292	19	2500	270
HV-H14-287-592-292-FC2-P	H14	ISO 45 H	287x592x292	9	1100	300
HV-H14-490-592-292-FC2-P	H14	ISO 45 H	490x592x292	15,5	1800	300
HV-H14-592-592-292-FC2-P	H14	ISO 45 H	592x592x292	19	2200	300

"Differential Pressure Tolerance ±10%"

EFFICIENT V-COMPACT FILTER CODE CONFIGURATION

Filter Type	Filter Class	Dimensions (mm)	Faceguard	Gasket
HV : Efficient V-Compact Filter	E10 E11 E12 H13 H14	592x592x292	FW : Without FC2: On 2 Edge Sides FC8: On 8 Edge Sides	W: Without P: Continuous Pu Foam PP: Pu Foam on Both Sides E: EPDM EE: EPDM Flat On Both Sides C: Continuous Grey EPDM CC: Grey EPDM on Both Sides