


GLASS FIBER BAG FILTER



Applications:

Capturing fine particles
Second or final stage in HVAC
Pre-filter for HEPA filters

Highlights:

- High dust holding capacity
- Longer lifespan
- Low initial pressure drop
- Less energy consumption
- Middle support prevents bypass between filter pockets

Filter Standard:	ISO 16890	Rec. Final Pressure Drop EN13053:	Initial ΔP +100 Pa or initial $\Delta P \times 3$ whichever is lower
Filter Class:	ISO ePM1 - ISO ePM2,5 - ISO ePM10	Max. Operating Temperature:	100°C
Media:	Glass Fiber	Frame depth:	20 - 25 mm
Frame:	Galvanized		

GLASS FIBER BAG FILTER

Filter Model	Filter Class		Dimensions WxHxD (mm)	Pocket Number	Filtration Area (m ²)
	EN 779 (cancelled)	ISO16890			
FBG-M5-P5-25-287-592-360	M5	ePM10 60%	287x592x360	5	2,5
FBG-M5-P8-25-490-592-360	M5	ePM10 60%	490x592x360	8	4
FBG-M5-P10-25-592-592-360	M5	ePM10 60%	592x592x360	10	5
FBG-M5-P5-25-287-592-535	M5	ePM10 60%	287x592x535	5	3,4
FBG-M5-P8-25-490-592-535	M5	ePM10 60%	490x592x535	8	5,5
FBG-M5-P10-25-592-592-535	M5	ePM10 60%	592x592x535	10	6,8
FBG-M5-P5-25-287-592-635	M5	ePM10 60%	287x592x635	5	4
FBG-M5-P8-25-490-592-635	M5	ePM10 60%	490x592x635	8	6,4
FBG-M5-P10-25-592-592-635	M5	ePM10 60%	592x592x635	10	8
FBG-M6-P5-25-287-592-360	M6	ePM10 65%	287x592x360	5	2,5
FBG-M6-P8-25-490-592-360	M6	ePM10 65%	490x592x360	8	4
FBG-M6-P10-25-592-592-360	M6	ePM10 65%	592x592x360	10	5
FBG-M6-P5-25-287-592-535	M6	ePM10 65%	287x592x535	5	3,4
FBG-M6-P8-25-490-592-535	M6	ePM10 65%	490x592x535	8	5,5
FBG-M6-P10-25-592-592-535	M6	ePM10 65%	592x592x535	10	6,8
FBG-M6-P5-25-287-592-635	M6	ePM10 65%	287x592x635	5	4
FBG-M6-P8-25-490-592-635	M6	ePM10 65%	490x592x635	8	6,4
FBG-M6-P8-25-592-592-635	M6	ePM10 65%	592x592x635	10	8
FBG-F7-P5-25-287-592-360	F7	ePM1 55%	287x592x360	5	2,5
FBG-F7-P8-25-490-592-360	F7	ePM1 55%	490x592x360	8	4
FBG-F7-P10-25-592-592-360	F7	ePM1 55%	592x592x360	10	5
FBG-F7-P5-25-287-592-535	F7	ePM1 55%	287x592x535	5	3,4
FBG-F7-P8-25-490-592-535	F7	ePM1 55%	490x592x535	8	5,5
FBG-F7-P10-25-592-592-535	F7	ePM1 55%	592x592x535	10	6,8
FBG-F7-P5-25-287-592-635	F7	ePM1 55%	287x592x635	5	4
FBG-F7-P8-25-490-592-635	F7	ePM1 55%	490x592x635	8	6,4
FBG-F7-P10-25-592-592-635	F7	ePM1 55%	592x592x635	10	8
FBG-F8-P5-25-287-592-360	F8	ePM1 80%	287x592x360	5	2,5
FBG-F8-P8-25-490-592-360	F8	ePM1 80%	490x592x360	8	4
FBG-F8-P10-25-592-592-360	F8	ePM1 80%	592x592x360	10	5
FBG-F8-P5-25-287-592-535	F8	ePM1 80%	287x592x535	5	3,4
FBG-F8-P8-25-490-592-535	F8	ePM1 80%	490x592x535	8	5,5
FBG-F8-P8-25-592-592-535	F8	ePM1 80%	592x592x535	10	6,8
FBG-F8-P5-25-287-592-635	F8	ePM1 80%	287x592x635	5	4
FBG-F8-P8-25-490-592-635	F8	ePM1 80%	490x592x635	8	6,4
FBG-F8-P10-25-592-592-635	F8	ePM1 80%	592x592x635	10	8
FBG-F9-P5-25-287-592-360	F9	ePM1 85%	287x592x360	5	2,5
FBG-F9-P8-25-490-592-360	F9	ePM1 85%	490x592x360	8	4
FBG-F9-P10-25-592-592-360	F9	ePM1 85%	592x592x360	10	5
FBG-F9-P5-25-287-592-535	F9	ePM1 85%	287x592x535	5	3,4
FBG-F9-P8-25-490-592-535	F9	ePM1 85%	490x592x535	8	5,5
FBG-F9-P10-25-592-592-535	F9	ePM1 85%	592x592x535	10	6,8
FBG-F9-P5-25-287-592-635	F9	ePM1 85%	287x592x635	5	4
FBG-F9-P8-25-490-592-635	F9	ePM1 85%	490x592x635	8	6,4
FBG-F9-P10-25-592-592-635	F9	ePM1 85%	592x592x635	10	8

